

## PURCHASE ORDER

Department of Education National Capital Region DepEd - Muntinlupa City

Supplier: MGWR PC COMPUTER TRADING			P.O. No. : PO-RFQ-2024-12-0008					
Address: ILANG ILANG STREET, DOLOR SUBD. CALAMBA CITY, LAGUNA 4027			Date:	142/20/2024				
			Mode of Procurement	: SMALL VALUE PROCURE	MENT			
Gentlemen:	Please furnish th	is Office the following articles subject to the terms and conditions contained herein:						
		Division Office - Muntinlupa City ore December 24, 2024	Delivery Term : Delivery	ered At Place				
Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount			
No.	Unit	Wifi All-In-one inkjet printer with ADF Print, Copy, Scan, ADF, Fax High-efficiency multifunctional inkjet system, utilizing piezoelectric micro-actuation for ink delivery through a thermal-free micro-piezo printhead. This configuration ensures precise ink placement at 5,760 x 1,440 dpi, with industry-leading low energy consumption.  Performance and Efficiency: optimized for high-volume operations with a rated ISO print speed of 10 ppm (monochrome) and 5 ppm (color), with first-page-out times of approximately 10 seconds (black) and 16 seconds (color). The ink tank system provides up to 4,500 monochrome and 7,500 color prints from the initial ink bottles, utilizing a gravity- fed refill system for precise ink control.  Document Handling: Equipped with an Automatic Document Feeder (ADF), capable of handling up to 30 sheets, the system is designed for high-efficiency duplex scanning. The scanner supports optical resolution up to 1,200 x 2,400 dpi and utilizes dual-axis image correction for distortion-free reproduction of documents and images.  Connectivity: Connectivity is facilitated by dual-band Wi-Fi, Wi-Fi Direct, and Ethernet for robust networking in managed environments. USB 2.0 connectivity is included for direct, local communications. The unit also integrates with Epson Smart Panel for mobile management and remote diagnostics, streamlining workflows.  Ink System: uses a non-pressurized ink tank system with sealed refillable reservoirs designed to minimize leakage and mess during ink replacement. Each ink bottle is equipped with key-lock technology to ensure the correct installation of the colorant and reduce user	4	₽ 16,990.00	P 67,960.00			
		error during refills.  Operational Characteristics: The device's low thermal dissipation architecture minimizes power draw during idle states, aligning with global energy-efficient standards. The unit's compartmentalized ink supply ensures uniform delivery and prevents air intrusion, contributing to its high-volume capability and reliable long-term performance.  Warranty: 1-year parts and service coverage, supporting reliable post-purchase maintenance.						
	unit	All-in-one inkjet printer (Print, Copy, Scan) Print Technology: Print Type: Inkjet (Piezoelectric with Micro Piezo print head technology) Color Printing Capability: Yes, color and black-and-white Ink Droplet Size: As small as 3 picoliters High Precision Print Head: With 180 nozzles for black and 59 nozzles per color (Cyan, Magenta, Yellow) Print Resolution: Maximum Print Resolution: 5760 x 1440 dpi High-quality Micro Piezo Technology: Ensures sharp text and vibrant graphics Print Speed: ISO/IEC 24734: Black: Up to 10.5 ppm (pages per minute) Color: Up to 5 ppm First Page Out Time (Black/Color): Approximately 10 seconds	7	P 11,990.00	₱ 83,930.00			
In case Co	er:	Signature over Printed Name of Chief Accountant/ Head of Accounting Division/Unit	ORS/BURS No. :	VIOLETA IN GONZA stant Schools Division Su Officer-In-Charg of the Schools Division S URS:	ALES perintendent e superintendent			
-		nead of Accounting Oversion) Only			Prope 1			



PURCHASE ORDER Department of Education National Capital Region DepEd - Muntiniupa City

Supplier: MGWR PC COMPUTER TRADING  NAME ILANG ILANG STREET, DOLOR SUBD. CALAMBA CITY, LAGUNA 4027			P.O. No. : Date : Mode of Procuremen					
intent.	Please famis	th this Office the following articles subject to the terms and conditions contained herein:						
face of Deli		s Division Office - Muntinlupe City	Delivery Term : Deli	vered At Place				
late of Deliv		pefore December 24, 2024						
Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount			
	Unit	ink System:  EcoTank System: Utilizes refillable ink tanks instead of traditional cartridges Ink Bottles: High-capacity, spill-free refill bottles Ink Bottle Yield: Black: Up to 4,500 pages						
		Color: Cyan, Magenta, Yellow: Up to 7,500 pages each Cost per Page: Extremely low, ideal for high-volume printing Paper Handling: Standard Paper input: 100-sheet rear paper tray Supported Paper Sizes: A4, A5, A6, B5, Letter, Legal, 4 x 6 inches, 5 x 7 inches, 8 x 10 inches Duplex Printing: Manual (user-controlled) Borderless Printing: Available for photo sizes 4 x 6, 5 x 7, and 8 x 10 inches Copy Specifications: Copy Specd: Up to 30 seconds per page (black and white) Copy Resolution: Up to 600 x 300 dpl Reduce/Enlarge Range: From 25% to 400%						
		Multi-copy Mode: Copy up to 99 copies of a document ID Card Copy Function: Easily copy both sides of an ID card onto a single page Scan Specifications: Scanner Type: Flatbed scanner with an 8.5 x 11.7 inches scanning area Optical Scan Resolution: 600 x 1200 dpi Maximum Scan Size: A4 / Letter size Scan Speed: 300 dpi (Black): Approximately 1.0 ms/page 300 dpi (Color): Approximately 3.0 ms/page			_			
		Scan Features: Scan to PC, Email, Cloud, USB Drive Supports PDF, JPEG, PNG file formats Multi-page scanning with automatic document feeder (up to 30 sheets) Connectivity: Wired Connectivity: USB 2.0 interface Optional Wireless Connectivity: Requires additional Epson Wi-Fi Direct* Adapter Mobile Printing Solutions: Epson IPrint, Apple AirPrint, Google Cloud Print, Mopria Print Service Display and Control:						
		1.44-Inch Monochrome LCD: User-friendly interface for setup, status monitoring, and maintenance Physical Buttons: Power, Cancel, Resume, Copy, and Scan Power Consumption: Active Mode: 12 W Sleep Mode: 0.8 W Power Off: 0.3 W Environmental Considerations: Energy Star Certified: Low power consumption in both active and standby modes Noise Levels: Printing: Approximately 54 dB (A) Scanning: Approximately 51 dB (A) Dimensions and Weight: Dimensions: 375 mm (W) x 347 mm (D) x 179 mm (H) Weight: 4.4 kg			14			
	unit	Wi-fi Enabled Gaming Motherboard Chipset: AMD B550, AM4 socket (Supports Ryzen 5000/4000G/3000 Series). Form Factor: Micro-ATX. Memory: 4 DIMM slots, up to 128GB DDR4, 4866 MHz (OC). Storage: 2 x M.2 (PCLe 4.0/3.0), 4 x SATA 6Gb/s. Networking: Intel Wi-Fi 6 (802.11ax), Realtek 1Gb LAN. PCLe Slots: 1 x PCLe 4.0 x16, 1 x PCLe 3.0 x16 (x4 mode), 1 x PCLe 3.0 x1. Audio: Realtek ALC S120A0, 7.1 surround. Rear I/O: HDMI 2.1, DP 1.2, USB-C 3.2 Gen 2, USB-A 3.2 Gen 2/Gen 1, Ethernet, audio jacks. VRM: 8+2 DrMOS, heatsinks on VRM/chipset. Cooling: 2 CPU, 3 chassis fan headers, All o pump header.	3	₱ 13,200.00	₱ 39,600.00			
		Features: RGB/ARGB headers, BIOS FlashBack, TUF durability.						
In case o	ount in Words	Cooling: 2 CPU, 3 chassis fan headers, AIO pump header. Features: RGB/ARGB headers, BIOS FlashBack, TUF durability.	Very truly yours, Assi	NOUTA N. GONZA				
Fund Cluster :Funds Available :KARINA E. MEDINA			ORS/BURS No. : Date of the ORS/BURS: Amount :					
		Signature over Printed Name of Chief Accountant/ Head of Accounting Division/Unit			Dave 2 a			

Amondo 6



## PURICHASE ORDER

Department of Education National Capital Region DepEd - Muntiniupa City

upplier :	MGWR PC COM	PUTER TRADING TREET, DOLOR SUBD. CALAMBA CITY, LAGUNA 4027	Dee:	10-870-3554 (3-868) 140/06/06/4			
uduress :	ILANG ILANG S	INCEL, DOLOR GODD. GADABON GITT, DAGGIN 4021	Mode of Procuremen	SHAL HALLE MOCIN	NEK		
Gentlemen:							
	Please furnish	this Office the following articles subject to the terms and conditions contained herein:					
		5 Division Office - Muntinlupa City	Delivery Term : Deliv	and At Place			
Stock/	ivery : on or be	efore December 24, 2024					
Property	Unit	Description	Quantity	Unit Cod		Asset	
No.	unit	Accelerated Processing Unit/ Processor					
- 1		Cores/Threads: 8C/16T					
- 1		Clock Speeds: 3.8 GHz base, 4.6 GHz boost Cache: 20 MB (4 MB L2 + 16 MB L3)					
1		TDP: 65W	3	P 13,850.00		41,550.00	
		Graphics: Radeon Vega 8 (8 cores, 2.0 GHz)		- 17			
- 1		Memory: DDR4-3200, dual-channel Socket: AM4, PCIe 3.0					
		Process: 7nm					
	unit	Memory Module 16GB DDR4 3200 (8x2) Memory Kit					
		Capacity: 16GB (2x8GB) Type: DDR4	1				
- 1		Speed: 3200 MHz					
		Latency: CL16 (Typical)	3	9 3,190.00	P	9,570.00	
- 1		Voltage: 1.35V Channel: Dual-channel		1		1	
		Form Factor: DIMM					
	unit	Ontimized for gaming and multitasking performance  Hard Disk 1TB NVMe M.2 SSD					
		Form Factor: M.2 2280		1	1		
		Interface: PCIe 3.0 x4 NVMe		l	1		
- 1		Capacity: 1TB Sequential Read: Up to 2,100 MB/s	3	₽ 4,990.00	B	14 920	
		Sequential Write: Up to 1,700 MB/s	,	4,550.00		N. N.	
- 1		NAND Type: 3D TLC Endurance: ~300 TBW (varies by model)	90		1		
		High-speed, reliable storage for modern systems.		1			
	unit	System Casing	-	<del> </del>	-		
	urne	Form Factor Compatibility: Supports ATX, Micro-ATX, and Mini-ITX motherboards			1		
		Material: Typically constructed from steel with tempered glass side panels			1		
		Design Features: Dagger-inspired aesthetic, with sharp angles and angular mesh front panel for enhanced airflow			1		
		Cooling Options: Accommodates multiple fan mounts, including options for large radiators (up to 360mm)	3	₱ 3,590.00	P	10,770.00	
		Expansion Slots: 7+ for GPUs and other expansion cards					
		Drive Bays: Typically includes space for 2.5" SSDs and 3.5" HDDs Front I/O Ports: USB ports, audio jacks, power and reset buttons			1		
		Ideal for those looking for a striking, high-performance casing for custom builds.			1		
					_		
	unit	Monitor 24.5"110Hz/IPS FHD Monitor/Eyecare Display Size: 24.5 inches			1		
		Resolution: Full HD (1920 x 1080 pixels)			1		
		Panel Type: IPS (In-Plane Switching)		1			
		Refresh Rate: 110Hz Response Time: 1ms (GtG)				100	
		Brightness: Up to 400 nits Color Gamut: 72% NTSC, 100% sRGB					
		Viewing Angles: 178*/178*	4	5,590.00	P	22,360.00	
		Contrast Ratio: 1000:1					
		Connectivity: HDMI 2.0, DisplayPort 1.2, VGA FreeSync/Adaptive Sync Support: Yes					
		Tilt Adjustment: -5° to 20°			1		
		VESA Mounting: 100 x 100 mm  Other Features: BlueLightShield, Flicker-less technology, Low-dimming, Anti-glare screen			-		
		Ideal for gaming and multimedia use with smooth visuals and vibrant colors.		-	+		
		Warranty: 1-year parts and service coverage, supporting reliable post-purchase maintenance.	1	1	1		
		TOTAL			P	290,710.00	
(Total A	mount in Word	s) Two Hundred Ninety Thousand Seven Hundred Ten Pesos					
		$\sim$ $\sim$ $\sim$ $\sim$ $\sim$					
		ake the full delivery within the time specified above a senalty of one-tenth (1/10) of one percent for every day of o	lelay shall be impose Very truly yours.	d on the undelivered iten	1/S.	/	
(	Conforme:	TOUTS PROPER HUMBELD	vor, nury yours,	road	de		
		Signature over Printed Name of Supplier		VIQUETA N. GONZ	ALES		
		17-20-24	Assi	stant Schools division S		endent	
		Date		Officer-In-Char	Q		
		<i>V</i>	Office	of the Schools Division	Superi	ntendent	
Fund Clus	ter:	The state of the s	ORS/BURS No. : _		_		
Funds Ava	ailable :		Date of the ORS/BURS:				
		KARINA E, MEDINA	Amount :				
		Signature over Printed Name of Chief Accountant/					
		Head of Accounting Division/Unit					
						Page 3 of 2	